

Index Volume 44, 1983

March

Semiconductor Materials and Processes Part 1—Fabrication Technology

- 3 **Introduction**
N. Goldsmith and H. Kressel
- 5 **Optical Scanner for Dust and Defect Detection**
E. F. Steigmeier and H. Auderset
- 19 **Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer**
G. Harbeke, E. Meier, J. R. Sandercock, M. Tgetgel, M. T. Duffy and R. A. Soltis
- 30 **The Growth and Characterization of Epitaxial Solar Cells on Re-Solidified Metallurgical Grade Silicon**
R. V. D'Aiello, P. H. Robinson, and E. A. Miller
- 48 **Electron Flood Technique to Neutralize Beam Charging During Ion Implantation**
C. P. Wu, F. Kolondra, and R. Hesser
- 64 **Crystal Growth of Mode-Stabilized Semiconductor Diode Lasers by Liquid-Phase Epitaxy**
D. Botez and J. C. Connolly
- 101 **Ohmic Contacts for Laser Diodes**
I. Ladany and D. P. Marinelli
- 110 **Positive-Resist Processing Considerations for VLSI Lithography**
L. K. White and D. Meyerhofer
- 135 **Multilayer Resist Systems for VLSI Lithography**
M. Kaplan, D. Meyerhofer, and L. K. White
- 157 **Reactive Sputter Etching of Dielectrics**
M. T. Duffy, J. F. Corboy and R. A. Soltis
- 169 **Patents**
- 172 **Authors**

June

Semiconductor Materials and Processes Part 2—Preparation and Properties

- 185 **Editor's Note**
- 187 **Epitaxial Reactor Systems: Characteristics, Operation, and Epitaxy Costs**
G. W. Cullen, J. F. Corboy, and R. Metz
- 217 **On a Relationship Between Substrate Perfection and Stacking Faults in Homoepitaxial Silicon**
A. Dreeben and A. Schujko
- 231 **An Investigation of the Factors that Influence the Deposit/Etch Balance in a Radiant-Heated Silicon Epitaxial Reactor**
J. F. Corboy and R. Pagliaro, Jr.

Index Volume 44, 1983

March

Semiconductor Materials and Processes Part 1—Fabrication Technology

- 3 **Introduction**
N. Goldsmith and H. Kressel
- 5 **Optical Scanner for Dust and Defect Detection**
E. F. Steigmeier and H. Auderset
- 19 **Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer**
G. Harbeke, E. Meier, J. R. Sandercock, M. Tgetgel, M. T. Duffy and R. A. Soltis
- 30 **The Growth and Characterization of Epitaxial Solar Cells on Re-Solidified Metallurgical Grade Silicon**
R. V. D'Aiello, P. H. Robinson, and E. A. Miller
- 48 **Electron Flood Technique to Neutralize Beam Charging During Ion Implantation**
C. P. Wu, F. Kolondra, and R. Hesser
- 64 **Crystal Growth of Mode-Stabilized Semiconductor Diode Lasers by Liquid-Phase Epitaxy**
D. Botez and J. C. Connolly
- 101 **Ohmic Contacts for Laser Diodes**
I. Ladany and D. P. Marinelli
- 110 **Positive-Resist Processing Considerations for VLSI Lithography**
L. K. White and D. Meyerhofer
- 135 **Multilayer Resist Systems for VLSI Lithography**
M. Kaplan, D. Meyerhofer, and L. K. White
- 157 **Reactive Sputter Etching of Dielectrics**
M. T. Duffy, J. F. Corboy and R. A. Soltis
- 169 **Patents**
- 172 **Authors**

June

Semiconductor Materials and Processes Part 2—Preparation and Properties

- 185 **Editor's Note**
- 187 **Epitaxial Reactor Systems: Characteristics, Operation, and Epitaxy Costs**
G. W. Cullen, J. F. Corboy, and R. Metz
- 217 **On a Relationship Between Substrate Perfection and Stacking Faults in Homoepitaxial Silicon**
A. Dreeben and A. Schujko
- 231 **An Investigation of the Factors that Influence the Deposit/Etch Balance in a Radiant-Heated Silicon Epitaxial Reactor**
J. F. Corboy and R. Pagliaro, Jr.

- 250 **Comparison of Different SOI Technologies: Assets and Liabilities**
L. Jastrzebski
- 270 **Double-Barrel III-V Compound Vapor-Phase Epitaxy Systems**
G. H. Olsen and T. J. Zamerowski
- 287 **LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films**
G. Harbeke, L. Krausbauer, E. F. Steigmeier, A. E. Widmer, H. F. Kappert, and G. Neugebauer
- 313 **LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films**
M. Duffy, J. T. McGinn, J. M. Shaw, R. T. Smith, R. A. Soltis, and G. Harbeke
- 326 **Silicon-Wafer Process Evaluation Using Minority-Carrier Diffusion-Length Measurement by the SPV Method**
A. M. Goodman, L. A. Goodman, and H. F. Gossenberger
- 342 **Design Guidelines for Power Switching Transistors**
R. U. Martinelli and R. Ford
- 356 **Patents**
- 359 **Authors**

September

- 371 **A High-Transmission Focus Mask for Color Picture Tubes**
E. F. Hockings, S. Bloom, and D. J. Tamutus
- 384 **A General Scattering Theory**
John Howard
- 404 **An Analytic Method for Calculating the Magnetic Field Due to a Deflection Yoke**
Basab B. Dasgupta
- 424 **A Simple Method to Determine Series Resistance and K Factor of an MOS Field Effect Transistor**
S. T. Hsu

Surface Acoustic Wave Stylus
- 430 **Part 1—Pickup and Recording Devices**
S. Tosima, M. Nishikawa, T. Iwasa, and E. O. Johnson
- 465 **Part 2—Relationship Between Rectangular and Fan-Shaped Interdigital Transducers**
S. Tosima
- 475 **Part 3—Optimum Tip Shape for Pickup Devices**
S. Tosima and M. Nishikawa
- 485 **Part 4—Pyramid-Shaped Surface Acoustic Wave Transducer for Signal Recording Cutterheads**
S. Tosima and M. Nishikawa
- 499 **Patents**
- 502 **Authors**

December

- 507 Government Systems and GaAs Monolithic Components**
Kenneth J. Siegler
- 525 Some Microwave Properties of High-Speed Monolithic ICs**
K.-H. Kretschmer and H. L. Hartnagel
- 537 A Cooled Low-Noise GaAs FET Amplifier**
Robert E. Askew
- 551 A Dynamic CAD Technique for Designing Broadband Microwave Amplifiers**
B. S. Yarman
- 566 A Computer Controlled Microwave Tuner for Automated Load Pull**
F. Sechi, R. Paglione, B. Perlman, and J. Brown
- 584 Broadband Balun**
Oakley M. Woodward
- 589 Microwave Tag Identification Systems**
D. Mawhinney
- 611 Miniature Microwave Antennas for Inducing Localized Hyperthermia in Human Malignancies**
Robert W. Paglione
- 625 Phase-Locked Injection Laser Arrays With Integrated Phase Shifters**
D. E. Ackley, D. Botez, and B. Bogner
- 634 Patents**
- 638 Authors**
- 644 Index to Vol. 44, 1983**

Index to Authors, Volume 44, 1983

- D. E. Ackley** Phase-Locked Injection Laser Arrays With Integrated Phase Shifters, December, p. 625
- R. E. Askew** A Cooled Low-Noise GaAs FET Amplifier, December, p. 537
- H. Auderset** Optical Scanner for Dust and Defect Detection, March, p. 5
- S. Bloom** A High-Transmission Focus Mask for Color Picture Tubes, September, p. 371
- B. Bogner** Phase-Locked Injection Laser Arrays With Integrated Phase Shifters, December, p. 625
- D. Botez** Crystal Growth of Mode-Stabilized Semiconductor Diode Lasers by Liquid-Phase Epitaxy, March, p. 64
- Phase-Locked Injection Laser Arrays With Integrated Phase Shifters, December, p. 625
- J. Brown** A Computer Controlled Microwave Tuner for Automated Load Pull, December, p. 566
- J. C. Connolly** Crystal Growth of Mode-Stabilized Semiconductor Diode Lasers by Liquid-Phase Epitaxy, March, p. 64
- J. F. Corboy** Reactive Sputter Etching of Dielectrics, March, p. 157
- Epitaxial Reactor Systems: Characteristics, Operation, and Epitaxy Costs, June, p. 187
- An Investigation of the Factors that Influence the Deposit/Etch Balance in a Radiant-Heated Silicon Epitaxial Reactor, June, p. 231
- G. W. Cullen** Epitaxial Reactor Systems: Characteristics, Operation, and Epitaxy Costs, June, p. 187

- R. V. D'Aiello The Growth and Characterization of Epitaxial Solar Cells on Re-Solidified Metallurgical Grade Silicon, March, p. 30
- B. B. Dasgupta An Analytic Method for Calculating the Magnetic Field Due to a Deflection Yoke, September, p. 404
- A. Dreesen On a Relationship Between Substrate Perfection and Stacking Faults in Homo-epitaxial Silicon, June, p. 217
- M. T. Duffy Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- Reactive Sputter Etching of Dielectrics, March, p. 157
- LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films, June, p. 313
- R. Ford Design Guidelines for Power Switching Transistors, June, p. 342
- N. Goldsmith Introduction to Special Issue on Semiconductor Materials and Processes, March, p. 3
- A. M. Goodman Silicon-Wafer Process Evaluation Using Minority-Carrier Diffusion-Length Measurement by the SPV Method, June, p. 326
- L. A. Goodman Silicon-Wafer Process Evaluation Using Minority-Carrier Diffusion-Length Measurement by the SPV Method, June, p. 326
- H. F. Gossenberger Silicon-Wafer Process Evaluation Using Minority-Carrier Diffusion-Length Measurement by the SPV Method, June, p. 326
- G. Harbeke Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films, June, p. 287
- LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films, June, p. 313
- H. L. Hartnagel Some Microwave Properties of High-Speed Monolithic ICs, December, p. 525
- H. Hesser Electron Flood Technique to Neutralize Beam Charging During Ion Implantation, March, p. 48
- E. F. Hockings A High-Transmission Focus Mask for Color Picture Tubes, September, p. 371
- J. Howard A General Scattering Theory, September, p. 384
- S. T. Hsu A Simple Method to Determine Series Resistance and κ Factor of an MOS Field Effect Transistor, September, p. 424
- T. Iwasa Surface Acoustic Wave Stylus: Part 1—Pickup and Recording Devices, September, p. 430
- L. Jasitzke Comparison of Different SOI Technologies: Assets and Liabilities, June, p. 250
- E. O. Johnson Surface Acoustic Wave Stylus: Part 1—Pickup and Recording Devices, September, p. 430
- M. Kaplan Multilayer Resist Systems for VLSI Lithography, March, p. 135
- H. F. Kappert LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films, June, p. 287
- F. Kolondra Electron Flood Technique to Neutralize Beam Charging During Ion Implantation, March, p. 48
- L. Krausbauer LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films, June, p. 287
- H. Kressel Introduction to Special Issue on Semiconductor Materials and Processes, March, p. 3
- K. H.-Kretschmer Some Microwave Properties of High-Speed Monolithic ICs, December, p. 525
- I. Ladany Ohmic Contacts for Laser Diodes, March, p. 101
- D. P. Marinelli Ohmic Contacts for Laser Diodes, March, p. 101
- R. U. Martinelli Design Guidelines for Power Switching Transistors, June, p. 342
- D. Mawhinney Microwave Tag Identification Systems, December, p. 589
- J. T. McGinn LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films, June, p. 313
- E. Meier Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- R. Metzler Epitaxial Reactor Systems: Characteristics, Operation, and Epitaxy Cost, June, p. 187
- D. Meyerhofer Positive-Resist Processing Considerations for VLSI Lithography, March, p. 110
- Multilayer Resist Systems for VLSI Lithography, March, p. 135
- E. A. Miller The Growth and Characterization of Epitaxial Solar Cells on Re-Solidified Metallurgical Grade Silicon, March, p. 30

- G. Neugebauer** LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films, June, p. 287
- M. Nishikawa** Surface Acoustic Wave Stylus: Part 1—Pickup and Recording Devices, September, p. 430
- Part 3—Optimum Tip Shape for Pickup Devices, September, p. 475
- Part 4—Pyramid-Shaped Surface Acoustic Wave Transducer for Signal Recording Cutterheads, September, p. 485
- G. H. Olsen** Double-Barrel III-V Compound Vapor-Phase Epitaxy Systems, June, p. 270
- R. Pagliaro, Jr.** An Investigation of the Factors that Influence the Deposit/Etch Balance in a Radiant-Heated Silicon Epitaxial Silicon, June, p. 231
- R. W. Paglione** A Computer Controlled Microwave Tuner for Automated Load Pull, December, p. 566
- Miniature Microwave Antennas for Inducing Localized Hyperthermia in Human Malignancies, December, p. 611
- B. Periman** A Computer Controlled Microwave Tuner for Automated Load Pull, December, p. 566
- P. H. Robinson** Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- J. R. Sandercock** Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- A. Schujko** On a Relationship Between Substrate Perfection and Stacking Faults in Homoepitaxial Silicon, June, p. 217
- F. Sechl** A Computer Controlled Microwave Tuner for Automated Load Pull, December, p. 566
- J. M. Shaw** LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films, June, p. 313
- K. J. Siegler** Government Systems and GaAs Monolithic Components, December, p. 507
- R. T. Smith** LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films, June, p. 313
- R. A. Soltis** Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- Reactive Sputter Etching of Dielectrics, March, p. 157
- LPCVD Polycrystalline Silicon: Growth and Physical Properties of Diffusion Doped, Ion-Implanted, and Undoped Films, June, p. 313
- E. F. Steigmeier** Optical Scanner for Dust and Defect Detection, March, p. 5
- LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films, June, p. 287
- D. J. Tamutus** A High-Transmission Focus Mask for Color Picture Tubes, September, p. 371
- M. Tgetgel** Rapid Characterization of Polysilicon Films by Means of a UV Reflectometer, March, p. 19
- S. Tosima** Surface Acoustic Wave Stylus: Part 1—Pickup and Recording Devices, September, p. 430
- Part 2—Relationship Between Rectangular and Fan-Shaped Interdigital Transducers, September, p. 465
- Part 3—Optimum Tip Shape for Pickup Devices, September, p. 475
- Part 4—Pyramid-Shaped Surface Acoustic Wave Transducer for Signal Recording Cutterheads, September, p. 485
- A. E. Widmer** LPCVD Polycrystalline Silicon: Growth and Physical Properties of In-Situ Phosphorus-Doped and Undoped Films, June, p. 287
- L. K. White** Positive-Resist Processing Considerations for VLSI Lithography, March, p. 110
- Multilayer Resist Systems for VLSI Lithography, March, p. 135
- O. M. Woodward** Broadband Balun, December, p. 584
- C. P. Wu** Electron Flood Technique to Neutralize Beam Charging During Ion Implantation, March, p. 48
- B. S. Yarman** A Dynamic CAD Technique for Designing Broadband Microwave Amplifiers, December, p. 551
- T. J. Zamerowski** Double-Barrel III-V Compound Vapor-Phase Epitaxy Systems, June, p. 270

